
# CON-E-CO LO-PRO® 327S





# **PRODUCTION CAPACITY:**

Theoretical Cycle Time - 2.5 to 3 minutes

# **BATCHER CAPACITY:**

Aggregate - 1 to 12 yds<sup>3</sup> (1 to 9.2 m<sup>3</sup>) Cement - 1 to 12 cubic yds<sup>3</sup> (1 to 9.2 m<sup>3</sup>) Scales - Direct Load Cells

# AGGREGATE BATCHER CONVEYOR:

30" wide (762 mm), 15 horsepower drive.

# AGGREGATE DISCHARGE CONVEYOR:

30" wide (762 mm), 10 horsepower drive. Optional 36" (914 mm), 15 horsepower.

# CEMENT BATCHER RECIRCULATING SCREW:

14" diameter (360 mm), 15 horsepower. Optional 18" diameter (457 mm), 20 horsepower

#### **CEMENT FEEDER SCREWS:**

Two 9" diameter (230 mm), 15 horsepower drive. Optional 12" diameter (300 mm), 20 horsepower.

#### **CEMENT AERATION:**

5 horsepower, high volume, low pressure blower.

## IN FRAME DUST COLLECTOR:

Mixer dust collector. Optional central dust collector

#### HIGH PRESSURE AIR COMPRESSOR:

10 horsepower, 120 gallon (0.45 m<sup>3</sup>). Optional 15 or 20 horsepower, 120 gallon (0.45 m<sup>3</sup>).

#### **ELECTRICAL:**

460 volt, 3-phase with 120 VAC transformer for control voltage. All motors are TEFC. All motor circuit wiring protected by individual circuit breakers. Electrical components housed in NEMA steel enclosures. Wiring in conduit.

# BATCH CONTROL SYSTEM:

Semi-automatic cut-off of cement by presets on digital readouts. Push-Button for electric over air on gates. Optional fully automatic computerized batch control system.

## WATER SYSTEM:

3" diameter (77 mm) up to 500 gallons (1,740 liters) per minute. Optional permanently mounted water weigh batcher.

# **TRANSPORTATION SYSTEM:**

Rear-mounted 36,000 lb. (16,330 kg) capacity tandem axle with eight (8) 22.5 tires, wheels, air brakes, heavy duty spring suspension, tail and brake lights, and fifth wheel rub plate with king pin.

# STORAGE BIN CAPACITIES:

AGGREGATE	HEAPED VOLUME 43 to 83 yd <sup>3</sup> (33 to 63 m <sup>3</sup> )
CEMENT I	<b>GROSS VOLUME</b> 1 308 ft <sup>3</sup> (37 m <sup>3</sup> )

CEMENT II

**GROSS VOLUME** 1.600 to 2.940 ft<sup>3</sup>

# (45 to 83 m<sup>3</sup>)

# DIMENSIONS:

Towing length Towing height Towing width Empty weight, total 57'-3" (15,977 mm) 14'-4" (4,369 mm) 2'-0" (3,658 mm) 60,000 lbs. (24,948 kg)

#### SHIPPING DIMENSIONS:

Length Height Width Shipping Volume 66'-3" (20,193 mm) 14'-4" (4,369 mm) 2'-0" (3,658 mm) 10,490 ft<sup>3</sup> (323 m<sup>3</sup>)

